



LabCorp Birmingham
1801 First Avenue South
Birmingham, AL 35233-1935

Phone: 205-581-3500

Specimen Number	Patient ID	Control Number	Account Number	Account Phone Number	Route 40
Patient Last Name			Account Address		
Patient First Name			Direct Laboratory Services		
Patient Middle Name			4040 Florida Street Suite 202		
Patient SS#	Patient Phone	Mandeville LA 70448			
Age (Y/M/D)	Date of Birth	Sex M	Fasting Yes		
Patient Address			Additional Information		
			10-12 HRS FASTING REQ		
Date and Time Collected	Date Entered	Date and Time Reported	Physician Name	NPI	Physician ID

Tests Ordered
CMP14+LP+TP+TSH+5AC+CBC/D/Plt; Urinalysis, Complete; Prostate-Specific Ag, Serum; C-Reactive Protein, Cardiac; Venipuncture

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
CMP14+LP+TP+TSH+5AC+CBC/D/Plt					
Chemistries					
Glucose, Serum	100	High	mg/dL	65 - 99	01
Uric Acid, Serum	4.4		mg/dL	2.4 - 8.2	01
BUN	17		mg/dL	5 - 26	01
Creatinine, Serum	0.95		mg/dL	0.50 - 1.50	01
Glom Filt Rate, Est	>60		mL/min	60 - 137	
If African-American	>60		mL/min	60 - 137	

Note: Persistent reduction for 3 months or more in an eGFR <60 mL/min/1.73 m2 defines CKD. Patients with eGFR values >=60 mL/min/1.73 m2 may also have CKD if evidence of persistent proteinuria is present.

Additional information may be found at www.kdoqi.org.

BUN/Creatinine Ratio	18			8 - 27	
Sodium, Serum	139		mmol/L	135 - 145	01
Potassium, Serum	4.5		mmol/L	3.5 - 5.2	01
Chloride, Serum	103		mmol/L	97 - 108	01
Carbon Dioxide, Total	21		mmol/L	20 - 32	01
Calcium, Serum	9.4		mg/dL	8.5 - 10.6	01
Phosphorus, Serum	3.0		mg/dL	2.5 - 4.5	01
Protein, Total, Serum	6.7		g/dL	6.0 - 8.5	01
Albumin, Serum	4.2		g/dL	3.6 - 4.8	01
Globulin, Total	2.5		g/dL	1.5 - 4.5	
A/G Ratio	1.7			1.1 - 2.5	
Bilirubin, Total	0.4		mg/dL	0.1 - 1.2	01
Alkaline Phosphatase, S	65		IU/L	25 - 160	01
LDH	128		IU/L	100 - 250	01
AST (SGOT)	13		IU/L	0 - 40	01
ALT (SGPT)	18		IU/L	0 - 55	01
GGT	11		IU/L	0 - 65	01
Iron, Serum	84		ug/dL	40 - 155	01

Lipids 01

--	--	--	--

FINAL REPORT

Patient Name					Specimen Number		
Account Number	Patient ID	Control Number	Date and Time Collected	Date Reported	Sex M	Age(Y/M/D)	Date of Birth

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Cholesterol, Total	191		mg/dL	100 - 199	01
Triglycerides	73		mg/dL	0 - 149	01
HDL Cholesterol	51		mg/dL	40 - 59	01
LDL Cholesterol Calc	125	High	mg/dL	0 - 99	
Comment	If initial LDL-cholesterol result is >100 mg/dL, assess for risk factors.				01
T. Chol/HDL Ratio	3.7		ratio units	0.0 - 5.0	01
Thyroid					
TSH	3.330		uIU/mL	0.350 - 5.500	01
	Adult TSH concentrations below 5.5 uIU/mL do not rule out the presence of subclinical hypothyroidism.				
Thyroxine (T4)	7.3		ug/dL	4.5 - 12.0	01
T3 Uptake	32		%	24 - 39	01
Free Thyroxine Index	2.3			1.2 - 4.9	01
CBC, Platelet Ct, and Diff					
WBC	4.8		x10E3/uL	4.0 - 10.5	01
RBC	4.39		x10E6/uL	4.10 - 5.60	01
Hemoglobin	13.3		g/dL	12.5 - 17.0	01
Hematocrit	40.3		%	36.0 - 50.0	01
MCV	92		fL	80 - 98	01
MCH	30.2		pg	27.0 - 34.0	01
MCHC	32.9		g/dL	32.0 - 36.0	01
RDW	14.8		%	11.7 - 15.0	01
Platelets	233		x10E3/uL	140 - 415	01
Neutrophils	48		%	40 - 74	01
Lymphs	40		%	14 - 46	01
Monocytes	6		%	4 - 13	01
Eos	6		%	0 - 7	01
Basos	0		%	0 - 3	01
Neutrophils (Absolute)	2.3		x10E3/uL	1.8 - 7.8	01
Lymphs (Absolute)	1.9		x10E3/uL	0.7 - 4.5	01
Monocytes (Absolute)	0.3		x10E3/uL	0.1 - 1.0	01
Eos (Absolute)	0.3		x10E3/uL	0.0 - 0.4	01
Baso (Absolute)	0.0		x10E3/uL	0.0 - 0.2	01
Urinalysis, Complete					
Urinalysis Gross Exam					
Specific Gravity	1.023			1.005 - 1.030	01
pH	6.0			5.0 - 7.5	01
Urine-Color	Yellow			Yellow	01
Appearance	Clear			Clear	01
WBC Esterase	Negative			Negative	01
Protein	Negative			Negative/Trace	01
Glucose	Negative			Negative	01

--	--	--	--

FINAL REPORT

Patient Name					Specimen Number		
Account Number	Patient ID	Control Number	Date and Time Collected	Date Reported	Sex M	Age(Y/M/D)	Date of Birth

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Ketones	Negative			Negative	01
Occult Blood	Negative			Negative	01
Bilirubin	Negative			Negative	01
Urobilinogen, Semi-Qn	0.2		mg/dL	0.0 - 1.9	01
Nitrite, Urine	Negative			Negative	01
Microscopic Examination	See below:				01
WBC	0-5		/hpf	0 - 5	01
RBC	None seen		/hpf	0 - 3	01
Epithelial Cells (non renal)	None seen		/hpf	0 - 10	01
Mucus Threads	Present	Abnormal		None seen	01
Bacteria	None seen			None seen/Few	01

Prostate-Specific Ag, Serum

Prostate Specific Ag, Serum	3.8		ng/mL	0.0 - 4.0	01
Roche ECLIA methodology.					

According to the American Urological Association, PSA should be undetectable after radical prostatectomy. A PSA of less than 0.5 ng/mL (or undetectable) is not likely to be associated with disease recurrence within five years of treatment. Values obtained with different assay methods or kits cannot be used interchangeably. Results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.

C-Reactive Protein, Cardiac	0.71		mg/L	0.00 - 3.00	01
Relative Risk for Future Cardiovascular Event					
			Low	<1.00	
			Average	1.00 - 3.00	
			High	>3.00	

--

--	--	--

FINAL REPORT