



Lab Interpretation, LLC
18124 Wedge Pkwy, Ste 432
Reno, NV 89511

(775) 851-3337
(775) 851-3363 Fax
www.labinterpretation.com

Sample Report

Date: 8/1/2007

Next test is overdue.

LabAssist™ Organic Acids & Environmental Pollutants Report

Practitioner

Printed on Monday, September 1, 2008 for:

Integrative Health Care

Dr. Able Insight

Anytown, USA 12345

775-555-5555

775-555-1212 (fax)

If there is a problem with this report, please contact us as soon as possible at: (775) 851-3337 or Fax (775) 851-3363

The information contained in this report is for the exclusive use of addressee and contains confidential, privileged and non-disclosable information. If the recipient of this report is not the addressee or the person responsible for delivering the message to the addressee, such recipient is prohibited from reading or using this message in any way and such recipient is further notified that any dissemination, distribution or copying of this report is strictly prohibited. If you have received this report in error, please notify us immediately by telephone collect and return the original report to us at the address below via the U.S. Postal Service. We will reimburse you for postage. Thank you.

Basic Status High/Low - Environmental Pollutants Exposure on 8/1/2007

Sample Report

Male / Age: 48
 Client ID: (25889)

Organic Acids & Environmental Pollutants Date: 8/1/2007

Integrative Health Care (6087)
 Dr. Able Insight
 775-555-5555

The % Status is the weighted deviation of the laboratory result.

Low Results

	-40	-30	-20	-10	0					
						% Status	Result	<i>Low</i>	<i>High</i>	
						2-Methylhippurate	-36.67 L	0.20	0.00	1.50
						3-Methylhippurate	-31.25 L	0.30	0.00	1.60

High Results

	-50	0	50	100	150					
						% Status	Result	<i>Low</i>	<i>High</i>	
						Monoethyl Phthalate	102.00 H	1.52	0.00	1.00
						Phenylglyoxylate	55.88 H	3.60	0.00	3.40
						M + P	48.57 H	6.90	0.00	7.00
						Phthalate	43.33 H	1.40	0.00	1.50
						Mandelate	41.67 H	3.30	0.00	3.60
						Benzoate	25.00 H	3.00	0.00	4.00

Basic Status High/Low - Urine Organic Acid on 8/1/2007

Sample Report

Organic Acids & Environmental Pollutants Date: 8/1/2007

Male / Age: 48

Integrative Health Care (6087)

The % Status is the weighted deviation of the laboratory result.

Low Results

-80	-60	-40	-20	0		% Status	Result	Low	High	
						-60.00	L	1.60	1.70	2.70
						-59.52	L	2.20	2.40	4.50
						-55.71	L	2.65	2.75	4.50
						-42.08	L	165.83	150.00	350.00
						-30.00	L	0.10	0.00	0.50
						-25.00	L	27.00	24.00	36.00

-25%

High Results

-25	0	25	50	75		% Status	Result	Low	High	
						64.29	H	24.00	16.00	23.00
						55.88	H	2.60	0.80	2.50
						50.00	H	0.50	0.20	0.50
						35.71	H	0.60	0.00	0.70
						35.00	H	4.25	0.00	5.00
						29.14	H	14.00	0.00	17.69
						26.92	H	1.00	0.00	1.30
						25.00	H	1.20	0.00	1.60
						25.00	H	3.00	0.00	4.00
						25.00	H	12.00	0.00	16.00
						25.00	H	0.90	0.00	1.20

-25%

25%

Basic Status Alphabetic - Environmental Pollutants Exposure on 8/1/2007

Sample Report

Organic Acids & Environmental Pollutants Date: 8/1/2007

Male / Age: 48

Integrative Health Care (6087)

The % Status is the weighted deviation of the laboratory result relative to the range.

-100		-50	0	50	100	% Status	Result	<i>Low</i>	<i>High</i>	
						2-Methylhippurate	-36.67	L	0.20	0.00 1.50
						3,4-Dimethylhippurate	-10.00		1.20	0.00 3.00
						3-Methylhippurate	-31.25	L	0.30	0.00 1.60
						Benzoate	25.00	H	3.00	0.00 4.00
						Hippurate	0.00		545.00	90.00 1000.00
						M + P	48.57	H	6.90	0.00 7.00
						Mandelate	41.67	H	3.30	0.00 3.60
						Monoethyl Phthalate	102.00	H	1.52	0.00 1.00
						Phenylglyoxylate	55.88	H	3.60	0.00 3.40
						Phthalate	43.33	H	1.40	0.00 1.50
						p-Hydroxybenzoate	-16.33		1.01	0.00 3.00
						Quinolinate	-8.33		5.00	0.00 12.00
						t,t-Muconic Acid	3.33		1.60	0.00 3.00
						Total Status Deviation	32.49			
						Total Status Skew	16.71			

Basic Status Alphabetic - Urine Organic Acid on 8/1/2007

Sample Report

Organic Acids & Environmental Pollutants Date: 8/1/2007

Male / Age: 48

Integrative Health Care (6087)

The % Status is the weighted deviation of the laboratory result relative to the range.

	-100	-50	0	50	100	% Status	Result	Low	High
						26.92 H	1.00	0.00	1.30
						6.36	3.10	0.00	5.50
						-55.71 L	2.65	2.75	4.50
						5.56	1.00	0.00	1.80
						35.71 H	0.60	0.00	0.70
						17.27	0.37	0.00	0.55
						-5.56	6.00	4.00	8.50
						10.00	0.18	0.00	0.30
						13.33	0.19	0.00	0.30
						25.00 H	3.00	0.00	4.00
						15.00	1.30	0.00	2.00
						25.00 H	12.00	0.00	16.00
						-42.08 L	165.83	150.00	350.00
						-25.00 L	27.00	24.00	36.00
						-17.50	0.65	0.00	2.00
						-11.46	199.00	120.00	325.00
						-1.67	1.45	0.00	3.00
						50.00 H	0.50	0.20	0.50
						0.00	545.00	90.00	1000.00
						-59.52 L	2.20	2.40	4.50
						0.00	2.60	2.10	3.10
						-15.00	39.00	32.00	52.00
						4.55	1.20	0.00	2.20
						17.78	12.20	0.00	18.00
						25.00 H	1.20	0.00	1.60
						10.00	0.60	0.00	1.00
						-3.85	1.20	0.00	2.60
						11.43	0.43	0.00	0.70
						2.00	52.00	0.00	100.00
						2.33	1.01	0.00	1.93
						29.14 H	14.00	0.00	17.69
						0.77	0.33	0.00	0.65
						64.29 H	24.00	16.00	23.00
						35.00 H	4.25	0.00	5.00
						-8.33	5.00	0.00	12.00
						25.00 H	0.90	0.00	1.20
						55.88 H	2.60	0.80	2.50
						0.00	6.50	0.00	13.00
						-30.00 L	0.10	0.00	0.50
						-60.00 L	1.60	1.70	2.70
		-25%		25%		Total Status Deviation	22.97		
						Total Status Skew	1.73		

Sample Report

Male / Age: 48

Client Summary Review

Organic Acids & Environmental Pollutants Date: 8/1/2007

Integrative Health Care (6087)

Nutritional Support

The following supplements may help to balance your biochemistry. Consult your practitioner.

1-CoEnzyme Q10
2x daily 50 mg

1-Styrene Detoxification Protocol
See Nutrition Detail

2-5-Hydroxytryptophan
2x daily 50 mg

1-Phthalate Reduction Protocol
See Nutrition Detail

1-Tyrosine
2x daily 500 mg

2-Glycine
2x daily 500 mg

Out-Of-Balance Panel Values

The following panels have a PSD of greater than 25% indicating need for further review. PSD is the Panel Status Deviation, or the average imbalance of that subset of results. The PSS is the Panel Status Skew, or the direction, negative (deficiency) or positive (excess), of that subset of results.

Panel Name	PSD	PSS
Plastic Sources	58.29%	58.29%
Phthalates	51.22%	45.67%
Paint and Solvents	44.34%	28.72%
Cosmetic Sources	41.25%	33.08%
Neurotransmitters	37.62%	-35.81%
Liver Detox Indicators	37.14%	37.14%
Automotive Sources	36.23%	13.59%
CAC Cycle Ratios	35.70%	-20.00%
Water Sources	32.69%	17.13%
Carbohydrate Metabolism	25.87%	25.87%

Lab Reported out-of-range Values

The following results are out-of-range (as reported by the lab), and should be carefully reviewed.

Monoethyl Phthalate (102.00%)

Phthalates are used in the manufacture of plastics to allow for flexibility and to soften resins. Not only that, but it is found in everything from makeup to detergents, shampoos to time-released pharmaceutical drugs.

This toxin is a well known endocrine disruptor as well as causing neurological and developmental disorders. It can interfere with tryptophan metabolism resulting in an increase in quinolinic acid, a pro-inflammatory and neurotoxic compound. Phthalates have also been implicated in abnormal fetal development, especially in male fetuses. Recently, it has been linked to increased male waist circumference and insulin resistance.

Drugs which may have an adverse affect:

Time-Released Meds

Pyroglutamate (64.29%)

A high level may be due to glutathione depletion due to small intestinal amino acid absorption and kidney amino acid recovery. There may be inadequate quantities of sulfur amino acids such as methionine or cysteine or inadequate intake and reserves of glycine.

Drugs which may have an adverse affect:

Acetaminophen

CA Cycle Phase 6 (-60.18%)

The last phase of the citric acid cycle, this stage marks the conversion of Fumarate into Malate. When the ratio is low, this may signify that the body is not refilling its losses along the entire cycle. Supplementing with a broad spectrum amino acid along with niacin may help restore balance.

Vanilmandelate (-60.00%)

Low levels of this organic acid may be related to low CNS levels of epinephrine and norepinephrine. Clinical signs include depression, sleep disturbances, and the inability to handle stress and fatigue.

Drugs which may have an adverse affect:

Clonidine, Imipramine, MAO Inhibitors, Methyl dopa, Reserpine

Homovanillate (-59.52%)

Low levels of this organic acid may be related to low CNS levels of epinephrine and norepinephrine. Clinical signs include depression, sleep disturbances, and the inability to handle stress and fatigue.

Drugs which may have an adverse affect:

Haloperidol

Succinate (55.88%)

A high reading of this organic acid may be indicative of poor amino acid metabolism and could indicate a need for additional magnesium, riboflavin and Coenzyme Q10. It is also suggestive of mitochondrial dysfunction leading to symptoms of fatigue and possibly myocardial and/or neurological degeneration.

Drugs which may have an adverse affect:

Lithium Carbonate

Phenylglyoxylate (55.88%)

Phenylglyoxylic acid, along with Mandelate is a marker for styrene exposure. Primarily used in packaging, this petrochemical is made from a combination of benzene and ethylene. Styrene is also found in cigarette smoke making smokers more likely to suffer side-effects.

Some health effects include dizziness, lightheadedness, headache, drowsiness, nausea, impaired balance and manual dexterity along with difficulty concentrating and poor reaction time. Irritation of mucous membranes, dermatitis, nausea and fatigue are other potential effects of styrene exposure. Styrene is also known to be genotoxic and hepatotoxic. It has been suggested that this toxin may also increase the risk for a number of cancers including leukemia. In animal models, low levels can be extremely hepatotoxic to some while not to others. This suggests a genetic component to styrene excretion.

In order to help the body excrete styrene it is suggested to increase intake of glutathione as styrene oxides conjugate with this tripeptide.

5-Hydroxyindoleacetate (-55.71%)

A metabolite of serotonin, this organic acid may be indicative of low tryptophan. Clinical signs include depression, fatigue, insomnia, ADD, and other behavioral disorders.

Drugs which may have an adverse affect:

Imipramine, MAO Inhibitors, Methyldopa

Fumarate (50.00%)

Elevated fumarate may be indicative of a Coenzyme Q10 deficiency or if citrate, malate, and a-ketoglutarate are also elevated then suspect a cytochrome C oxidase deficiency.

Drugs which may have an adverse affect:

Lithium Carbonate

Additional Tests

The following additional lab tests may help in diagnosis.

Consider ordering prostate specific antigen (PSA)

Rationale: Age is >= 40

Sex is Male

Nutrition - Detail

Sample Report

Male / Age: 48

Organic Acids & Environmental Pollutants Date: 8/1/2007

Integrative Health Care (6087)

Nutritional and herbal information contained in this report is based upon research related to imbalances in your chemistry. The recommendations are based upon the information provided, without interpretation. This must be done with the help of a qualified health care professional.

1-CoEnzyme Q10 2x daily 50 mg

COENZYME Q10

CoEnzyme Q10 is an essential component of the mitochondria of the energy producing unit of the cell. Its beneficial effects include increased energy, as well as prevention of cardiovascular disease and cancer. Clinical responses may take up to 8 weeks according to some research so patience is necessary during supplementation.

Rationale

Decreased

Hydroxymethylglutarate

Normal

Increased

Succinate
Malate

1-Phthalate Reduction Protocol See Nutrition Detail

PHthalate REDUCTION PROTOCOL

Phthalates are ubiquitous chemicals found wherever plastics are found. They are powerful endocrine disruptors as well as potentially damaging to developing fetuses. Avoidance of plastics while very difficult is an important first step in lowering body burden. Never microwave or heat food in a plastic container. Improving both phase I and phase II detoxification is also critical.

Recommendations:

Adults

Amino Acids - 5-10 grams of a broad spectrum supplement with glycine

Broad Spectrum Antioxidants - 2x daily

Increased Fluid Intake preferably with an electrolyte added

Avoid Salicylates

Vitamin E - 400 IU 2x daily (mixed tocopherols)

Magnesium - 200 mg daily

Zinc - 25 mg daily

Children

Amino Acids - 2 grams of a broad spectrum supplement with glycine

Broad Spectrum Antioxidants - 1x daily

Increased Fluid Intake preferably with an electrolyte added

Avoid Salicylates

Vitamin E - 400 IU 1x daily (mixed tocopherols)

Magnesium - 125 mg daily

Zinc - 15 mg daily

Decreased

Normal

Increased

Phthalate
Monoethyl Phthalate

1-Styrene Detoxification Protocol See Nutrition Detail

STYRENE DETOXIFICATION PROTOCOL

Styrene detoxification requires an increased level of glutathione. In order to effectively increase glutathione levels it is necessary to supply both the necessary amino acids (cysteine, glutamic acid and glycine) as well as the nutrients (pyridoxine, riboflavin and folic acid) to make the conversion.

Adult

Broad Spectrum Amino Acid - 5-10 grams daily

Glycine - 500 mg twice daily

N-acetyl-cysteine - 500 mg twice daily

B-complex - twice daily

Vitamin E - 400 IU once daily (mixed tocopherols)

Vitamin C - 500 mg twice daily

Selenium - 200 mcg once daily

Children

Broad Spectrum Amino Acid - 2 grams daily

Glycine - 250 mg twice daily

N-acetyl-cysteine - 250 mg once daily

B-complex - 1 time daily

Vitamin E - 200 IU once daily (mixed tocopherols)

Vitamin C - 500 mg 1 time daily

Decreased

Normal

Increased

M + P
Mandelate
Phenylglyoxylate

Nutrition - Detail

Sample Report

Organic Acids & Environmental Pollutants Date: 8/1/2007

Male / Age: 48

Integrative Health Care (6087)

Nutritional and herbal information contained in this report is based upon research related to imbalances in your chemistry. The recommendations are based upon the information provided, without interpretation. This must be done with the help of a qualified health care professional.

1-Tyrosine 2x daily 500 mg

TYROSINE

An amino acid which is essential to the synthesis of protein, catecholamines, melanin, and thyroid hormones. Vitamin C and folic acid are essential to its metabolism. The formation of thyroid hormone is dependent upon the absorption and sequestering of iodine which then attaches to tyrosine to form thyroxine.

Decreased

Vanilmandelate
Homovanillate

Rationale

Normal

Increased

2-5-Hydroxytryptophan 2x daily 50 mg

5-HYDROXYTRYPTOPHAN

Serotonin is an important neurotransmitter made from the amino acid Tryptophan. 5-Hydroxyindoleacetate is a metabolite of serotonin so a low result of this organic acid may indicate a tryptophan deficiency.

Decreased

5-Hydroxyindoleacetate

Normal

Increased

2-Glycine 2x daily 500 mg

GLYCINE

Glycine is an important amino acid and it is helpful in lowering the levels of Benzoate and Hippurate.

Decreased

Normal

Hippurate

Increased

Benzoate

Drug Interactions

Sample Report

Organic Acids & Environmental Pollutants Date: 8/1/2007

Male / Age: 48

Integrative Health Care (6087)

Drugs listed below tend to further aggravate elements of blood chemistry that are out of range (H or L). The (#) after each drug denotes the number of times that drug is flagged as being potentially harmful.

Acetaminophen
Lithium Carbonate(3)
Time-Released Meds(2)

Clonidine
MAO Inhibitors(2)


Haloperidol
Methyldopa(2)

Imipramine(2)
Reserpine

Automotive Sources

2-Methylhippurate[L], 3-Methylhippurate[L], Mandelate[H], Phenylglyoxylate[H], M + P[H], t,t-Muconic Acid.


Car exhaust is a leading source of environmental solvent exposure. Running on busy streets next to traffic, commuting in heavy traffic, and living in large urban areas are sources of exposure.



Cosmetic Sources

Phthalate[H], Monoethyl Phthalate[H], p-Hydroxybenzoate, t,t-Muconic Acid.


A number of cosmetics are made using parabens, phthalates and benzene derivatives. Careful avoidance of those cosmetics is warranted if this panel is elevated. A resource to find out more about this topic is the website run by the Environmental Working Group, www.ewg.org and their report Skin Deep.



Paint and Solvents

3-Methylhippurate[L], Mandelate[H], Phenylglyoxylate[H], M + P[H].


Paints and solvents are often found with styrene and xylene. Airing out a newly painted house is advisable. Also, for anyone using paints and solvents, make sure the place they are using them is well-ventilated.



Phthalates

Phthalate[H], Monoethyl Phthalate[H], Quinolinate.


High levels of phthalates have been connected to a number of health issues. Avoidance is critical and detoxification may be necessary.



Plastic Sources

Phthalate[H], Monoethyl Phthalate[H], Mandelate[H], Phenylglyoxylate[H], M + P[H].

Plastics are often made with styrene and phthalates. If this panel is elevated, it is suggested that the patient should avoid heating plastics in the microwave, leaving plastic water bottles in the car, and drinking hot liquids out of styrofoam cups.



Sample Report

Male / Age: 48

Panel/Subset Report Organic Acids & Environmental Pollutants Date: 8/1/2007


Integrative Health Care (6087)

Water Sources

t,t-Muconic Acid, Mandelate[H], Phenylglyoxylate[H], M + P[H],
2-Methylhippurate[L], 3,4-Dimethylhippurate.

According to research, many water supplies worldwide are tainted with a number of petrochemicals including, but not limited to trimethylbenzene, toluene, styrene, and benzene. A high reading of this panel may warrant testing of the patient's water supply.

PSD: 32.69
PSS: 17.13




B-Complex Markers

b-Hydroxyisovalerate[H], a-Ketoisovalerate, a-Ketoisocaproate,
a-Keto-b-methylvalerate, Methylmalonate.

A normal panel profile such as this is an indicator of adequate intake of B-complex vitamins.

PSD: 15.12
PSS: 15.12




BCAA Catabolism

a-Ketoisovalerate, a-Ketoisocaproate, a-Keto-b-methylvalerate.

A normal reading in this panel suggest proper amino acid stores.

PSD: 13.54
PSS: 13.54




CAC Cycle Ratios

CA Cycle Phase 1, CA Cycle Phase 2, CA Cycle Phase 3[H], CA
Cycle Phase 4[L], CA Cycle Phase 5[L], CA Cycle Phase 6[L], CA
Cycle Return[L].

This panel reflects steps of the citric acid cycle. A low reading may be indicative of poor energy production and/or vitamin, mineral and amino acid deficiencies.

PSD: 35.70
PSS: -20.00




Carbohydrate Metabolism

Lactate, Pyruvate[H], a-Hydroxybutyrate[H], b-Hydroxybutyrate.

The panel profile seen here may be due to impaired carbohydrate metabolism, inefficient utilization or poor mobilization of carbohydrates. Often, B-complex vitamins are helpful in balancing these results. See Nutritional Support for further details.

PSD: 25.87
PSS: 25.87




Energy Production

Citrate, cis-Aconitate[L], Isocitrate, a-Ketoglutarate, Succinate[H],
Fumarate[H], Malate[H], Hydroxymethylglutarate.

A normal reading such as this is consistent with a properly functioning citric acid cycle.

PSD: 23.49
PSS: 9.23



Sample Report

Male / Age: 48


Panel/Subset Report Organic Acids & Environmental Pollutants Date: 8/1/2007

Integrative Health Care (6087)

Fatty Acid Metabolism

Adipate, Suberate[H], Ethylmalonate.


These urinary markers give us a picture into the metabolism of fatty acids.



Intestinal Dysbiosis

p-Hydroxyphenyllactate, Tricarballicylate[L], Citramalate, p-Hydroxybenzoate.


A normal panel profile such as this is consistent with good intestinal health but further investigation may be necessary depending on clinical symptoms.



Liver Detox Indicators

Orotate, Pyroglutamate[H], a-Hydroxybutyrate[H].


This panel profile may be due in part to environmental toxins, improper regulation of cell growth, hereditary deficiencies, and a depressed ability of the liver to detoxify itself. A program of detoxification may be helpful in this case. Review Nutritional Status for additional recommendations.



Neurotransmitters

Vanilmandelate[L], Homovanillate[L], 5-Hydroxyindoleacetate[L], Kynurenate, Quinolate.

The panel profile seen here may be indicative of low levels of the neurotransmitters, serotonin, epinephrine and norepinephrine. See Nutritional Support section for recommended nutrients, especially amino acid precursors like 5-HTP, tyrosine and phenylalanine.



Clinical Correlation

Sample Report

Organic Acids & Environmental Pollutants Date: 8/1/2007

Male / Age: 48

Integrative Health Care (6087)

This report "MATCHES" clinical observations with the lab test. Elements shown, normal and abnormal, tend to characterize the observation. Highlighted elements are those reported to "MATCH" the characteristics of the clinical observation. Others are NOT matches but are elements in the observation.

Catecholamine Dysfunction ()

66.67% (2 of 3)

Decreased

-59.52 Homovanillate

-60.00 Vanilmandelate

50.00 Fumarate

Normal

Increased

Comparison Progress Report

Sample Report

Male / Age: 48

Organic Acids & Environmental Pollutants Date: 8/1/2007

Integrative Health Care (6087)

A "+" change is toward optimal % Status of zero. A "-" change is away from optimal % Status of zero.

	Status % on:	2/1/2007	8/1/2007	+/- change
t,t-Muconic Acid		93.33 H	3.33	+ 90.00
3,4-Dimethylhippurate		-50.00 L	-10.00	+ 40.00
Hippurate		-28.02 L	0.00	+ 28.02
Monoethyl Phthalate		40.00 H	102.00 H	- 62.00
Phthalate		16.67	43.33 H	- 26.67












Sample Report

Male / Age: 48

Comparison Report Organic Acids & Environmental Pollutants Date: 8/1/2007

Integrative Health Care (6087)

The arrow's length is proportional to change. Left to right is increase. Right to left is decrease.
Green is improvement. Red is decline.

	+/-	Status % on:	2/1/2007	8/1/2007
-50.00  -36.67	+	2-Methylhippurate	-50.00 L	-36.67 L
-50.00  -10.00	+	3,4-Dimethylhippurate	-50.00 L	-10.00
-43.75  -31.25	+	3-Methylhippurate	-43.75 L	-31.25 L
-2.50  25.00	-	Benzoate	-2.50	25.00 H
-28.02  0.00	+	Hippurate	-28.02 L	0.00
48.57  60.00	+	M + P	60.00 H	48.57 H
41.67  50.00	+	Mandelate	50.00 H	41.67 H
40.00  102.00	-	Monoethyl Phthalate	40.00 H	102.00 H
55.88  70.59	+	Phenylglyoxylate	70.59 H	55.88 H
16.67  43.33	-	Phthalate	16.67	43.33 H
		p-Hydroxybenzoate	-10.33	-16.33
		Quinolate	0.00	-8.33
3.33  93.33	+	t,t-Muconic Acid	93.33 H	3.33
		Total Status Deviation	39.63	32.49
		Total Status Skew	11.23	16.71

Comparison Progress Report

Sample Report

Male / Age: 48

Organic Acids & Environmental Pollutants Date: 8/1/2007

Integrative Health Care (6087)

A "+" change is toward optimal % Status of zero. A "-" change is away from optimal % Status of zero.

	Status % on: 2/1/2007		8/1/2007		+/- change
Pyroglutamate	235.71	H	64.29	H	+ 171.43
Methylmalonate	80.00	H	10.00		+ 70.00
Hydroxymethylglutarate	50.00	H	0.00		+ 50.00
3-Indoleacetate	51.82	H	6.36		+ 45.45
Kynurenate	50.00	H	4.55		+ 45.45
a-Hydroxybutyrate	64.29	H	35.71	H	+ 28.57
Vanilmandelate	0.00		-60.00	L	- 60.00
Homovanillate	2.38		-59.52	L	- 57.14
Fumarate	0.00		50.00	H	- 50.00
Pyruvate	0.00		35.00	H	- 35.00

Comparison Report

Organic Acids & Environmental Pollutants Date: 8/1/2007

Sample Report

Male / Age: 48

Integrative Health Care (6087)

The arrow's length is proportional to change. Left to right is increase. Right to left is decrease.
Green is improvement. Red is decline.

	+/-	Status % on:	2/1/2007	8/1/2007
19.23 26.92	-	2-Hydroxyphenylacetate	19.23	26.92 H
6.36 51.82	+	3-Indoleacetate	51.82 H	6.36
-70.00 -55.71	+	5-Hydroxyindoleacetate	-70.00 L	-55.71 L
		Adipate	5.56	5.56
35.71 64.29	+	a-Hydroxybutyrate	64.29 H	35.71 H
		a-Keto-b-methylvalerate	24.55	17.27
-5.56 14.44	+	a-Ketoglutarate	14.44	-5.56
10.00 30.00	+	a-Ketoisocaproate	30.00 H	10.00
13.33 26.67	+	a-Ketoisovalerate	26.67 H	13.33
-2.50 25.00	-	Benzoate	-2.50	25.00 H
15.00 30.00	+	b-Hydroxybutyrate	30.00 H	15.00
		b-Hydroxyisovalerate	18.75	25.00 H
		CA Cycle Return	-34.58 L	-42.08 L
-25.00 16.67	-	cis-Aconitate	16.67	-25.00 L
-17.50 5.00	-	Citramalate	5.00	-17.50
-11.46 -2.68	-	Citrate	-2.68	-11.46
-1.67 25.00	+	Ethylmalonate	25.00 H	-1.67
0.00 50.00	-	Fumarate	0.00	50.00 H
		Hippurate	1.28	0.00
-59.52 2.38	-	Homovanillate	2.38	-59.52 L
0.00 50.00	+	Hydroxymethylglutarate	50.00 H	0.00
		Isocitrate	20.00	-15.00
4.55 50.00	+	Kynurenate	50.00 H	4.55
		Lactate	13.33	17.78
		Malate	25.00 H	25.00 H
10.00 80.00	+	Methylmalonate	80.00 H	10.00
		Methylsuccinate	-7.69	-3.85
11.43 22.86	+	Orotate	22.86	11.43
2.00 16.00	+	Oxalate	16.00	2.00
2.33 11.66	+	p-Hydroxybenzoate	11.66	2.33
29.14 51.75	+	p-Hydroxyphenylacetate	51.75 H	29.14 H
0.77 11.54	+	p-Hydroxyphenyllactate	11.54	0.77
64.29 235.71	+	Pyroglutamate	235.71 H	64.29 H
0.00 35.00	-	Pyruvate	0.00	35.00 H
-8.33 0.00	-	Quinolate	0.00	-8.33
16.67 25.00	-	Suberate	16.67	25.00 H
		Succinate	55.88 H	55.88 H
		Tartarate	-3.85	0.00
-30.00 10.00	-	Tricarballic acid	10.00	-30.00 L
-60.00 0.00	-	Vanilmandelate	0.00	-60.00 L
		Total Status Deviation	28.88	22.97
		Total Status Skew	17.09	1.73

Panel/Subset Comparison Report

Sample Report

Male / Age: 48

Organic Acids & Environmental Pollutants Date: 8/1/2007

Integrative Health Care (6087)

Automotive Sources	2/1/2007		8/1/2007		+/-	
2-Methylhippurate	-50.00	L	-36.67	L	+	-50.00 → -36.67
3-Methylhippurate	-43.75	L	-31.25	L	+	-43.75 → -31.25
Mandelate	50.00	H	41.67	H	+	41.67 ← 50.00
Phenylglyoxylate	70.59	H	55.88	H	+	55.88 ← 70.59
M + P	60.00	H	48.57	H	+	48.57 ← 60.00
t,t-Muconic Acid	93.33	H	3.33		+	3.33 ← 93.33
PSS / PSD	30.03 / 61.28		13.59 / 36.23			

Cosmetic Sources	2/1/2007		8/1/2007		+/-	
Phthalate	16.67		43.33	H	-	16.67 → 43.33
Monoethyl Phthalate	40.00	H	102.00	H	-	40.00 → 102.00
p-Hydroxybenzoate	-10.33		-16.33			
t,t-Muconic Acid	93.33	H	3.33		+	3.33 ← 93.33
PSS / PSD	34.92 / 40.08		33.08 / 41.25			

Paint and Solvents	2/1/2007		8/1/2007		+/-	
3-Methylhippurate	-43.75	L	-31.25	L	+	-43.75 → -31.25
Mandelate	50.00	H	41.67	H	+	41.67 ← 50.00
Phenylglyoxylate	70.59	H	55.88	H	+	55.88 ← 70.59
M + P	60.00	H	48.57	H	+	48.57 ← 60.00
PSS / PSD	34.21 / 56.08		28.72 / 44.34			

Phthalates	2/1/2007		8/1/2007		+/-	
Phthalate	16.67		43.33	H	-	16.67 → 43.33
Monoethyl Phthalate	40.00	H	102.00	H	-	40.00 → 102.00
Quinolinate	0.00		-8.33		-	-8.33 ← 0.00
PSS / PSD	18.89 / 18.89		45.67 / 51.22			

Plastic Sources	2/1/2007		8/1/2007		+/-	
Phthalate	16.67		43.33	H	-	16.67 → 43.33
Monoethyl Phthalate	40.00	H	102.00	H	-	40.00 → 102.00
Mandelate	50.00	H	41.67	H	+	41.67 ← 50.00
Phenylglyoxylate	70.59	H	55.88	H	+	55.88 ← 70.59
M + P	60.00	H	48.57	H	+	48.57 ← 60.00
PSS / PSD	47.45 / 47.45		58.29 / 58.29			

Water Sources	2/1/2007		8/1/2007		+/-	
t,t-Muconic Acid	93.33	H	3.33		+	3.33 ← 93.33
Mandelate	50.00	H	41.67	H	+	41.67 ← 50.00
Phenylglyoxylate	70.59	H	55.88	H	+	55.88 ← 70.59
M + P	60.00	H	48.57	H	+	48.57 ← 60.00
2-Methylhippurate	-50.00	L	-36.67	L	+	-50.00 → -36.67
3,4-Dimethylhippurate	-50.00	L	-10.00		+	-50.00 → -10.00
PSS / PSD	28.99 / 62.32		17.13 / 32.69			

Panel/Subset Comparison Report

Sample Report

Male / Age: 48

Organic Acids & Environmental Pollutants Date: 8/1/2007

Integrative Health Care (6087)

B-Complex Markers	2/1/2007		8/1/2007	+/-		
b-Hydroxyisovalerate	18.75		25.00	H		
a-Ketoisovalerate	26.67	H	13.33	+	13.33	← 26.67
a-Ketoisocaproate	30.00	H	10.00	+	10.00	← 30.00
a-Keto-b-methylvalerate	24.55		17.27			
Methylmalonate	80.00	H	10.00	+	10.00	← 80.00
PSS / PSD	35.99 / 35.99		15.12 / 15.12			

BCAA Catabolism	2/1/2007		8/1/2007	+/-		
a-Ketoisovalerate	26.67	H	13.33	+	13.33	← 26.67
a-Ketoisocaproate	30.00	H	10.00	+	10.00	← 30.00
a-Keto-b-methylvalerate	24.55		17.27			
PSS / PSD	27.07 / 27.07		13.54 / 13.54			

CAC Cycle Ratios	2/1/2007		8/1/2007	+/-		
CA Cycle Phase 1	17.81		23.70			
CA Cycle Phase 2	-14.06		-13.89			
CA Cycle Phase 3	33.33	H	31.25	H		
CA Cycle Phase 4	-40.58	L	-39.17	L		
CA Cycle Phase 5	-35.14	L	-39.60	L		
CA Cycle Phase 6	-60.10	L	-60.18	L		
CA Cycle Return	-34.58	L	-42.08	L		
PSS / PSD	-19.05 / 33.66		-20.00 / 35.70			

Carbohydrate Metabolism	2/1/2007		8/1/2007	+/-		
Lactate	13.33		17.78			
Pyruvate	0.00		35.00	H -	0.00	→ 35.00
a-Hydroxybutyrate	64.29	H	35.71	H +	35.71	← 64.29
b-Hydroxybutyrate	30.00	H	15.00	+	15.00	← 30.00
PSS / PSD	26.90 / 26.90		25.87 / 25.87			

Energy Production	2/1/2007		8/1/2007	+/-		
Citrate	-2.68		-11.46	-	-11.46	← -2.68
cis-Aconitate	16.67		-25.00	L -	-25.00	← 16.67
Isocitrate	20.00		-15.00			
a-Ketoglutarate	14.44		-5.56	+	-5.56	← 14.44
Succinate	55.88	H	55.88	H		
Fumarate	0.00		50.00	H -	0.00	→ 50.00
Malate	25.00	H	25.00	H		
Hydroxymethylglutarate	50.00	H	0.00	+	0.00	← 50.00
PSS / PSD	22.41 / 23.08		9.23 / 23.49			

Fatty Acid Metabolism	2/1/2007		8/1/2007	+/-		
Adipate	5.56		5.56			
Suberate	16.67		25.00	H -	16.67	→ 25.00
Ethylmalonate	25.00	H	-1.67	+	-1.67	← 25.00
PSS / PSD	15.74 / 15.74		9.63 / 10.74			

Panel/Subset Comparison Report

Sample Report

Male / Age: 48

Organic Acids & Environmental Pollutants Date: 8/1/2007

Integrative Health Care (6087)

Intestinal Dysbiosis	2/1/2007	8/1/2007	+/-	
p-Hydroxyphenyllactate	11.54	0.77	+	0.77 11.54
Tricarballicylate	10.00	-30.00 L	-	-30.00 10.00
Citramalate	5.00	-17.50	-	-17.50 5.00
p-Hydroxybenzoate	11.66	2.33	+	2.33 11.66
PSS / PSD	9.55 / 9.55	-11.10 / 12.65		

Liver Detox Indicators	2/1/2007	8/1/2007	+/-	
Orotate	22.86	11.43	+	11.43 22.86
Pyroglutamate	235.71 H	64.29 H	+	64.29 235.71
a-Hydroxybutyrate	64.29 H	35.71 H	+	35.71 64.29
PSS / PSD	107.62 / 107.62	37.14 / 37.14		

Neurotransmitters	2/1/2007	8/1/2007	+/-	
Vanilmandelate	0.00	-60.00 L	-	-60.00 0.00
Homovanillate	2.38	-59.52 L	-	-59.52 2.38
5-Hydroxyindoleacetate	-70.00 L	-55.71 L	+	-70.00 -55.71
Kynurenate	50.00 H	4.55	+	4.55 50.00
Quinolinatate	0.00	-8.33	-	-8.33 0.00
PSS / PSD	-3.52 / 24.48	-35.81 / 37.62		